2



# Design Review Board Study Session

TO: DESIGN REVIEW BOARD

FROM: NICHOLE MCCARTY, PLANNER II

(480) 503-6747, NICHOLE.MCCARTY@GILBERTAZ.GOV

THROUGH: CATHERINE LORBEER, AICP, PRINCIPAL PLANNER

(480) 503-6016, CATHERINE.LORBEER@GILBERTAZ.GOV

**MEETING DATE: JULY 10, 2014** 

SUBJECT: DR14-21, EXTRA SPACE STORAGE

**STRATEGIC INITIATIVE:** Community Livability

This project provides a new personal storage facility for use by businesses and residences in the northwest part of the Town.

# **REQUEST**

DR14-21, Extra Space Storage: site plan, landscape, grading and drainage, elevations, floor plans, lighting, colors and materials for an approximately 83,000 square foot, two-story facility on 2.2 acres located west of the southwest corner of Baseline Road and Horne Street zoned Light Industrial (LI).

### **RECOMMENDED MOTION**

Request for input only. No motion required.

### **APPLICANT/OWNER**

Andrews Design Group Rosa Pritchett 4434 N Civic Center Plz #101 Scottsdale, AZ 85260 (480) 894-3478 rpritchett@adgarch.net

### **BACKGROUND/DISCUSSION**

History

**Date** Action

June 5, 1984 Town Council approved the annexation of this property (A83-2,

Ordinance No. 377).

March 3, 2005 Town Council adopted the Land Development Code (LDC) by

approving Ordinance No. 1625. With the adoption of the LDC, the site

was zoned Light Industrial (LI).

### Overview

The proposed indoor storage facility is located on a 2.2 acre vacant lot just west of the southwest corner of Baseline Road and Horne Street. The site is located on the south side of Baseline Road, approximately half way between Cooper Road and McQueen Road. The site borders the City of Mesa to the north and is adjacent to other light industrial uses including a rental equipment company as well as other warehouse and industrial uses.

**Surrounding Land Use & Zoning Designations:** 

	Existing Land Use Classification	<b>Existing Zoning</b>	Existing Use
North	City of Mesa	City of Mesa – Light Industrial	Vacant Land
South	Light Industrial	Light Industrial	Vacant Land
East	Light Industrial	Light Industrial	Warehouse
West	Light Industrial	Light Industrial	Equipment Rental
OnSite	Light Industrial	Light Industrial	Vacant Land

**Development Standards:** 

_	Required per LDC	Proposed
Building Setback Front	30'	81'
Building Setback Side	0'	33'

	Required per LDC	Proposed
Building Setback Rear	0'	64'
Building Height	55'maximum	44'-6"
Lot Coverage	N/A	45%
Landscaping in parking area	10% (310 sf)	23% (714 sf)
Parking	8 spaces	18 (including 1 accessible)

# **DISCUSSION AND REQUESTED INPUT**

### Site Plan

The proposed facility consists of an 82,800 square feet, 2-story building including a 1,200 square foot sales office. The anticipated hours of public access to the site are from 7 a.m. to 10 p.m. and the sales office will be open from 8 a.m. to 6 p.m. The proposed facility is located on the south side of Baseline Road, approximately half way between Cooper Road and McQueen Road, and just west of Horne Street.

The project site has approximately 300 feet of frontage on Baseline Road, with two access points off of the major arterial. The primary entrance is located on the subject property and a secondary entrance is shared access with the existing driveway to the east. Both entrances will consist of a right-in, right-out turning movement only, as there is an existing traffic median on Baseline Road. Additionally, there is a signalized intersection just to the east of the site at Horne Street and Baseline Road.

The site design includes fire access around the building with a wide drive aisle to accommodate two-way traffic around the entire site. Security gates are located on either side of the building and are setback far enough from the access drives to ensure vehicles will not be stacked into the adjacent roadway. An existing 6 foot high wall along a portion of the western property boundary will remain, and an 8 foot high matching wall will be constructed along the remaining portion. Additionally, an 8 foot high wall is being proposed along the southern and eastern property boundaries.

• Staff would like Board input on the overall site design including accessibility.

### Parking/Landscape

The project site will contain 18 parking spaces including 1 accessible space, all located along the front of the building. Additionally, there is a loading area in the rear of the building with a 12' x 45' space for larger moving trucks to temporarily park for unloading. A minimum of 10% of the parking area is required to be landscaped and the applicant is proposing to landscape 23%.

Adjacent properties to the east and west are fully improved with a wide landscape buffer along the frontage. The applicant will provide landscaping in the adjacent right-of-way along Baseline Road in addition to the 30 foot landscape setback on their property, for a total of 50 feet wide

landscaped area. Completing this section will help provide a continuous landscaped buffer along this stretch of roadway. A 5 foot wide landscaped strip will be provided along both sides of the facility and a 27 foot wide landscaped area will be provided in the rear of the site over the retention area. All side and rear landscaping is being located on the interior side of the property boundary walls.

There is an existing 5 foot wide sidewalk in front of the proposed storage facility on Baseline Road, connecting to the properties on either side of the site. The proposed site improvements for the storage facility include two pedestrian linkages off of the existing sidewalk. New sections of accessible sidewalk will be provided through the landscaped area and will lead to striped painted paths across the front drive aisle, to connect to the 6' wide sidewalk in front of the building. There will be four foundation planters located near the main building entrance as well as the retails sales/office entrance.

The proposed landscaping palette includes 24" Desert Museum and Sisso trees in the front landscaped setback and near the main entry. In the rear of the site 24" Mondel Pines are being proposed in the retention area. A mix of colorful plants and shrubs are also being proposed around the site, including Green Cloud Sage, Mexican Bird of Paradise, Desert Spoon and Golden Mound. The groundcover is ½" minus Desert Gold in all landscaped areas.

• Staff would like Board input on the landscaping design and pedestrian connectivity.

### **Elevations/Floor Plans/Colors and Materials**

The project will consist of one 2-story building with a front entrance for vehicles unloading small loads of materials for storage and a rear entrance for larger truck and vehicles access with larger loads. Both entrances lead directly to a stairwell and elevator for access to the second floor storage units. The sales office is located in the front, northeast corner of the building, with direct access to the main parking area.

The building material will be primarily stucco finish with accents of glass, aluminum in the canopies and storefront system, and standing seam metal roofing at the top of the signage tower. The proposed color palette consists of muted desert colors primarily in cream and beige tones, but also with gray and accents of a clay toned color. The screen wall will also be stucco in the cream color with accents of clay. The proposed palette blends well with existing neighboring structures.

The overall building height being proposed is either 29 feet or 32 feet depending on the section of roofline, which includes the height of the parapet to cover rooftop mechanical equipment. The proposed building signage tower projects to a height of 41 feet and 6 inches. Staff has been working with the applicant to address the building elevations, including the design of the signage tower, and this is the third design the applicant has provided us.

- Staff would like Board input regarding the color palette.
- Staff would like Board input regarding the general building architectural style, massing and vertical movement.
- Staff would like Board input on the height and design of the signage tower.

# Signage

Staff is working with the applicant to collect more specific details on the proposed signage. Staff will either bring these details back to the board at the public hearing, or will process the sign permits separately through the administrative design review process. In addition to showing the proposed location of the building signage on the elevations, the applicant has also shown the proposed location of the monument signage on the site plan. The proposed monument sign will have to be relocated to be 3 feet outside of the right-of-way.

# STAFF REQUEST

Staff requests input from the Design Review Board.

Respectfully submitted,

Michael M. Melanky

Nichole McCarty

Planner II

### **Attachments:**

- 1. Vicinity Map
- 2. Aerial Photo
- 3. Site Plan
- 4. Landscape Plan
- 5. Building Elevations/Floor Plans/Colors and Materials


DR14-05


**Attachment 1: Vicinity Map** 

July 10, 2014


# **UP14-05**

# Vicinity Map





VICINITY MAP:



DR14-05 **Attachment 2: Aerial Photo** July 10, 2014

### PROJECT TEAM:


THE MONOLITH GROUP 9096 E. BAHIA DR. SUITE—A102 SCOTTSDALE, ARIZONA 85260 PHONE: (480) 367-1901 FAX: (480) 367-1914 CONTACT: TONY ARDIZZONE


ANDREWS DESIGN GROUP, INC. 1095 W. RIO SALADO PKWY. SUITE-103 TEMPE, ARIZONA 85281 PHONE: (480) 894-3478 FAX: (480) 894-4013 CONTACT: DONALD A. ANDREWS



ADG A0714 PRE-APP CASE# PA14-23

No: DATE:





LEGEND: -• /-- PROPERTY CORNER CATCH BASIN DRYWELL OR CATCH BASIN ✓ PROPERTY LINE ELECTRIC CABINET CONCRETE SURFACE LANDSCAPE AREA FIRE DEPARTMENT CONNECTION SEWER MANHOLE ----- UNDERGROUND SEWER LINE EXISTING LIGHT POLE — ε— UNDERGROUND ELECTRIC LINE
— οнε— EXIST. OVEHEAD ELECTRICAL LINE NEW LIGHT POLE <u>\_\_\_\_</u> ⇔ ⇔ ⇔ ACCESSIBLE PATH TRANSFORMER NO. OF PARKING SPACES

### KEY NOTES: (X)


- PROPOSED TRASH ENCLOSURE, PER STD. DTL-C113 AND STD. DTL-80, SEE DETAIL 6/SD1
- 3. EXISTING 6' CMU WALL AT PROPERTY LINE TO
- 4. PROPOSED PARKING LIGHT, SEE PHOTOMETRIC AND DETAIL 11/SD1
- 5. S.E.S ROOM FULLY ENCLOSED
- FIRE RISER ROOM, INTERIOR ROOM 5'x 5' WITH DIRECT EXTERIOR ACCESS SIDE HINGED DOOR 3'-0 DOOR WIDTH AND 80 INCH HEIGHT. IFC 90146
- 7. EXISTING SIDEWALK
- 8. SECURITY GATE, COMPLY WITH T.O.G. LIMITED ACCESS GATE REGULATION 12-503.6, SEE DETAIL
- PROPOSED MONUMENT SIGN UNDER SEPARATE PERMIT AND SUBMITTAL
- 10. PROPOSED TRANSFORMER LOCATION
- 12. PROPOSED FIRE HYDRANT LOCATION, 3 FEET RADIUS CLEARANCE, (WITHIN 150' FROM EXISTING FIRE
- 13. PROPOSED FDC LOCATION (WITHIN 150' FROM EXISTING FIRE HYDRANT
- 14. 3 FEET WIDE MAN GATE, SEE DETAIL 6/SD2
- LANDSCAPE
- 16. RETENTION AREA
- 17. FIRE LANE COMPLY WITH FIRE T.O.G. REQUIREMENTS
- 18. 12' X 45' LOADING AREA
- 19. ACCESSIBLE PARKING PER T.O.G. STANDARD DETAIL, SEE DETAIL 9/SD1
- 20. SIDE WALK TO MATCH EXISTING
- 21. ACCESSIBLE RAMP, SEE DETAIL 5/SD1
- 22. ACCESSIBLE ROUTE MINIMUM 6 FEET CLEAR
- 24. EMERGENCY APPARATUS ACCESS, TURNING RADIUS 35' INSIDE / 55' OUTSIDE
- PROPOSED 8' HEIGHT CMU TO MATCH EXISTING PER T.O.G. REQUIREMENTS, SEE DETAIL 8/SD2
- 26. ROOF ACCESS LADDER
- 27. ROOF DRAINS, GUTTERS AND DOWN SPOT
- 28. NEW ASPHALT PAVING OVER A.B.C. OVER COMPACTED FILL
- 29. LANDSCAPE PLANTER
- 30. STRIPE PAINT 4" YELLOW
- 31. 6" VERTICAL CURB AROUND ALL DRIVEWAY /
- 32. REMOVE EXISTING CURB AND SIDE WALK & REPLACE WITH NEW DRIVEWAY, CURB, GUTTER AND SIDEWALK, SEE CIVIL
- 33. EXISTING FIRE HYDRANT TO REMAIN
- 34. FOUNDATION PLANTER, 8'X2'
- 35. SIGHT VISIBILITY TRIANGLE PER T.O.G. STANDARD DETAIL 93.
- 36. KEYPAD BOLLARD AND KNOX BOX
- SCREEN WALL 3'-0" HEIGHT, SEE DETAIL 1/SD2 AND ELEVATIONS, WALL CANNOT ENCROACH INTO THE REQUIRED 25' LANDSCAPE SETBACK
- 39. SCREEN WITH LANDSCAPE, SEE LANDSCAPE PLANS

GILBERT, AZ

- 40. WATER METERS SEE CIVIL PLANS
- 41. BUILDING POP-PUT, SEE BUILDING ELEVATIONS AND FLOOR PLAN.

MONOLITH STORAGE FACILITY

765 E. BASELINE ROAD



VICINITY MAP:

### PROJECT DATA:

PROJECT LOCATION: S.W. BASELINE RD. AND HORNE ST.

PROJECT ADDRESS: 765 E. BASELINE ROAD, GILBERT AZ MONOLITH STORAGE FACILITY (INDOOR SELF-STORAGE)

PROJECT DESCRIPTION: NEW 82,800 S.F. FULLY A/C SELF-STORAGE FACILITY, TWO STORY BUILDING.

INCLUDE 1,200 S.F. SALES OFFICE

PARCEL: APN 302-12-657

GROSS AREA: ±116,235 S.F. (±2.66 AC) ±96,845 S.F. (±2.22 AC)

LOT COVERAGE: 42.7% (41.400/96.846)

DESIGN CODE: LDC (LAND DEVELOPMENT CODE)

MAX. BUILDING HEIGHT ALLOW: (LI) 55 FEET / 3 STORIES

LI (LIGHT COMMERCIAL)

MAX. BUILDING HEIGHT PROPOSED: 40 FEET / 2 STORIES

PARKING REQUIRED:

STORAGE, PROPERTY INDOOR

1 LOADING SPACES 12' X 45'

NO BIKE PARKING IS REQUIRED PER LDC 4.2016(2) EXCEPTION (B)

19 PARKING SPACES (INCLUDING ONE ACCESSIBLE P.S.)

STANDARD PARKING SIZE 9'X19'

1 LOADING SPACES 12' X 45'

### LEGAL DESCRIPTION:

Commencing at the North quarter corner of said section 2;

thence South 00° 26° 05" East, along the west line of the Northeast quarter of said Section 2, a distance of 65.00 feet to the point of beginning;

thence South 00° 26° 05° East, a distance of 325.00 feet;

thence North 00-26'05" West along the North-South mid-section line of sold Section 2, a distance of 325.00 feet to the point of beginning.

### PROJECT TEAM: THE MONOLITH GROUP

9096 E. BAHIA DR. SUITE-A102 SUITE-A102 SCOTTSDALE, ARIZONA 85260 PHONE: (480) 367-1901 FAX: (480) 367-1914 CONTACT: TONY ARDIZZONE

ANDREWS DESIGN GROUP, INC.

1095 W. RIO SALADO PKWY. SUITE-103 TEMPE, ARIZONA 85281
PHONE: (480) 894–3478
FAX: (480) 894–4013
CONTACT: DONALD A. ANDREWS

ADG A0714 PRE-APP CASE# PA14-23

No: DATE: DR14-05

Attachment 3: Site Plan July 10, 2014


Andrews Design Group, Inc.

PRELIMINARY SITE PLAN

1095 W. RIO SALADO PKWY. SUITE-103 TEMPE, ARIZONA 85281 (480) 894-3478 FAX: (480) 894-4013

PROJECT MANAGEMENT

**PLANNING** INTERIORS



### TOWN OF GILBERT LANDS.CAPE NOTES:

A TOWN OF GILBERT PERMIT IS REQUIRED FOR THE INSTALLATION OF ANY LANDSCAPE OR IRRIGATION. IRRIGATION LINES MUST BE NSPECTED BEFORE BACKFILLING, A CD CONTAINING "AS-BUILTS" ARE ALSO REQUIRED.

BEFORE THE TOWN OF GILBERT WILL ACCEPT AN INSTALLED BACKFLOW DEVICE FOR APPROVAL, THE FOLLOWING MUST BE ACCOMPLISHED. THE DEVICE MUST BE TESTED BY A STATE CERTIFIED MUST BE TESTED BY A STATE CERTIFIED TESTER, AND THE RESULTS FORWARDED TO THE TOWN OF GILBERT'S BACKFLOW SPECIALIST. THE TOWN OF GILBERT WILL PROVIDE AN UP-TO-DATE LIST OF STATE

DESIGN OF ANY WALLS, ENTRY MONUMENT SIGNAGE OR RAMADAS THAT MAY BE PRESENTED HERIN HAVE BEEN REVIEWED AS CONCEPTUAL ONLY AND WILL REURE A SEPARATE REVIEW AND PERMIT FROM THE BUILDING DPARTMENT, IN NO CASE SHALL THE DEWPICTED WALLS, ENTRY MONUMENT SIGNAGE OR RAMADAS BE CONSIDERED FINAL. APPROVAL BY THE PLANNING DEPARMENT IS REQUIRED PRIOR TO A BUILDING PERMIT FOR SAID WALLS, ENTRY MONUMENTS AND REMADAS.

NO PLANT MATERIAL SHALL COME WITHIN 3 FEET OF HIRE HYDRANTS OR ANY FIRE DEPARTMENT EQUIPMENT.

NO PLANTING OR OBJECTS WITHIN THE TOWN OF GILBERT SIGHT VISIBILITY TRANGLES SHALL EXCEED 2 FEET. TREES SHALL HAVE A 7 FEET MINIMUM CLEAR

ALL TREES, SHRUBS AND GROUNDCOVERS SHALL MEET OR EXCEED ARIZONA NURSERY ASSOCIATION (ANA \_SPECIFICATIONS.) CONSTRUCTION MAY BEGIN AFTER ALL PERMITS HAVE BEEN OBTAINED. INSTALL ALL SIDEWALKS PER ADA REQUIREMENTS.

AN AUTOMATIC IRRIGATION 272Y2 MOITAGE GUARANTEFING 100% COVERAGE TO ALL NEW AND EXISTING LANDSCAPE AREAS.
CAGE, CONTROLLER, ASSOCIATED EXPOSED CONDUITS, AND ETC. SHALL CONFORM TO PREDOMINANT COLOR OF BUILDING.

### LANDSCAPE CALCULATIONS:

13,200 SQ.FT "ON SITE" LANDSCAPE AREA 3,770 SQ.FT. "OFF SITE" LANDSCAPE AREA 17,000 SQ.FT. "TOTAL" LANDSCAPE AREA 96,845 SQ.FT. NET SITE AREA 14.0% LANDSCAPE AREA

#### ATTENTION:

THIS PLAN HAS BEEN REVIEWED FOR LANDSCAPE/IRRIGATION IMPROVEMENTS ONLY, A SEPARATE REVIEW AND PERMIT IS REQUIRED FOR STRUCTURES, ELECTRICAL, FENCES/WALLS, POOLS AND SIGNS. CONTACT THE BUILDING DEPARTMENT.

CONSTRUCTION AND INSTALLATION SHALL BE IN ACCORDANCE WITH THESE PLANS AND ANY DEVIATIONS WILL REQUIRE REAPPROVAL, LANDSCAPE INSTALLATIONS SHALL BE APPROVED BY TOWN OF GILBERT INSPECTION SERVICES BEFORE A CERTIFICATE OF OCCUPANCY CAN BE ISSUED.

#### MAINTENANCE NOTE:

ALL LANDSCAPE AREAS AND MATERIALS SHALL BE MAINTAINED IN A HEALTHY, NEAT, CLEAN, WEED-FREE CONDITION. THIS SHALL BE THE RESPONSIBILITY OF THE PROPERTY OWNER.

ALL BACKFLOW PREVENTION DEVICES SHALL MEET THE REQUIREMENTS OF THE TOWN OF GILBERT BACKFLOW PROTECTION ORDINANCE (#869) OTHERWISE KNOWN AS ARTICLE 7-14 OT THE TOWN OF GILBERT MUNICIPAL CODE: CROSS CONNECTION CONTROL (FOR ADDITIONAL BACKFLOW SPECS, SEE: GILBERT UNIFIED LAND DEVELOPMENT CODE APPENDIX.

ALL BACKFLOW DEVICE SHALL BE TESTED BY A STATE CERTIFIED BACKFLOW TESTER AND TEST RESULTS FORWARDED TO THE TOWN OF GILBERT BACKFLOW SPECIALIST, THE TOWN WILL PROVIDE AN UP-TO-DATE LIST OF CERTIFIED TESTERS FROM WHICH TO BE SELECTED, TESTER FEES WILL BE AT THE EXPENSE OF THE INSTALLER.

# VICINITY MAP



### LANDSCAPE LEGEND



CERCIDIUM 'HYBRID' DESERT MUSEUM 24" BOX (MATCHING) -

DALBERGIA SISSO SISSO TREE 24" BOX -



PINUS ELDARICA MONDEL PINE 24" BOX -

LEUCOPHYLLUM FRUTESCENS GREEN CLOUD SAGE 5 GALLON -

CAESALPINIA MEXICANA MEXICAN BIRD OF PARADISE 5 GALLON -

RUELLIA PENINSULARIS **BAJA RUELLIA** 5 GALLON -

DASYLIRION WHEELERII DESERT SPOON 5 GALLON -

LANTANA MONTEVIDENSIS 'GOLD MOUND' 1 GALLON -

MUHLENBERGIA 'REGAL MIST' REGAL MIST 1 GALLON -

ACACIA REDOLENS 'DESERT CARPET' tm 1 GALLON -

> 1/2" MINUS DESERT GOLD DECOMPOSED GRANITE 2" DEPTH IN ALL AREAS

DR14-05 Attachment 4: Landscape Plan July 10, 2014



MONOLITH STORAGE FACILITY

765 E. BASELINE ROAD

GILBERT, AZ

T.J. McQUEEN & ASSOCIATES, INC.

LANDSCAPE ARCHITECTUR


Scottsdale, Arizona 85260 P. (602) 265-0320 F. (602) 266-6619 EMAIL: timmcqueen@timla.net

8433 East Cholla St., Suite 101


TA MICULERY A ASSOC, INC. LANDSCARM ARCHITECTURE (TAB.A) EXPRESSLY RESERVES ITS CORANG LAW COPPINION A OTHER PROPERTY RIGHTS IN THESE PLANS. THESE PLANS ARE NOT TO BE REPRODUCED. CHAMSED OF COPPED IN COPPED IN ANY FORM OR MANNER WHATSOCKIES, NOR ARE, THEY TO BE ASSISTED TO ANY THIRD PARTY WITHOUT FIRST CORTAINING THE CAPRESSED WITTEN PRESSEDIN A COMERCY FROST STAN.

ADG A0714

# DR14-05 Attachment 5: Building Elevations/Floor Plans/Colors and Materials July 10, 2014







Andrews Design Group, Inc.

MONOLITH STORAGE FACILITY 765 E. BASELINE ROAD GILBERT, AZ

ADG A0714

No:	DATE	REVISIONS:
$\Lambda$		
2		
3		

PRE-APP CASE# PA14-23

KEY NOTES ③

EIFS OVER 6" MTL. STUD EXTERIOR WALL. PAINT PER SCHEDULE

. DOOR BI-PARTING GLASS WITH MOTION SENSORS DOOR

11. LOGO SIGNAGE, UNDER SEPARATE SUBMITTAL

20. FIRE RISER ROOM SIGNAGE AT THE DOOR

FINISH SCHEDULE

B FIELD COLOR

C ACCENT COLOR

SW7556 CREME

SW7532 URBAN PUTTY

SW7701 CAVERN CLAY


LINE OF ROOF BEYOND
 OFFICE SIGN

DOOR
 ALUMINUM CANOPY

ENTRY POP-OUT
 POP-OUT

12. DRAIN, SEE PLUMBING

4. CLEAR ALUMINUM STOREFRONT SYSTEM.



KEY NOTES (X)

1. EIFS OVER 6" MTL. STUD EXTERIOR WALL. PAINT


4. CLEAR ALUMINUM STOREFRONT SYSTEM.

PER SCHEDULE

2. LINE OF ROOF BEYOND

OFFICE SIGN

5. DOOR



WEST ELEVATION



Andrews Design Group, Inc.

MONOLITH STORAGE FACILITY 765 E. BASELINE ROAD GILBERT, AZ

ADG A0714

No: DATE: REVISIONS:

PRE-APP CASE# PA14-23

KEY NOTES ® EIFS OVER 6" MTL. STUD EXTERIOR WALL. PAINT PER SCHEDULE

2. LINE OF ROOF BEYOND 3. OFFICE SIGN

5. DOOR 6. ALUMINUM CANOPY

8. ENTRY POP-OUT 9. POP-OUT

12. DRAIN, SEE PLUMBING 13. SCREEN WALL. STUCCO OVER 8" CMU 14. POP-OUT. STUCCO OVER 12" CMU 15. HVAC UNIT FULLY SCREENED BEHIND PARAPE

4. CLEAR ALUMINUM STOREFRONT SYSTEM

DOOR BI-PARTING GLASS WITH MOTION SENSORS DOOR

11. LOGO SIGNAGE. UNDER SEPARATE SUBMITTAL

 WALL PACK MOUNTED AT 25' A.F.F. SEE ELECTRICAL WALL PACK MOUNTED AT 20' A.F.F. SEE ELECTRICAL

19. WALL PACK MOUNTED AT 9' A.F.F. SEE ELECTRICAL 20. FIRE RISER ROOM SIGNAGE AT THE DOOR

FINISH SCHEDULE


 $\langle B \rangle$ 

FIELD COLOR

SW7556 CREME

SW7532 URBAN PUTTY

DR2





Andrews Design Group, Inc.

MONOLITH STORAGE FACILITY 765 E. BASELINE ROAD GILBERT, AZ

